

**T 9 N**

**R 5 W**



**Office of the Monroe County Surveyor**  
**Trohn Enright-Randolph**

---

Health Services Building  
119 West 7<sup>th</sup> Street  
Bloomington, IN 47404  
Phone: (812) 349-2570

Dear User,

The following images were obtained in 2017 by the Office of the Monroe County Surveyor from the State Imaging and Microfilm Laboratory at the Indiana State Archives. The field notes and plats for Owen County are stored on microfilm Reel 4659 at the Indiana State Archives. Each page provided by the State Imaging and Microfilm Laboratory is approximately 18MB. Our office combined the pages by Township & Range and reduced the resulting pdfs. This process may have caused some degradation in quality. We will provide unreduced images of specific pages if required. Please contact us at 812-349-2570 or at [SurveyorsOffice@co.monroe.in.us](mailto:SurveyorsOffice@co.monroe.in.us) to request a higher quality image of any specific page.

The pdfs are bookmarked with the original page numbers as assigned by the State Imaging and Microfilm Laboratory.


Be prepared to provide the county name, reel number, and the required page numbers when requesting full sized images.

If you would like a DVD of an entire county, please provide us with one DVD per county along with a self-addressed, stamped envelope.

Trohn Enright-Randolph  
Monroe County Surveyor



12 5 20 E 36  
 18 5 20 E 36  
 24 5 20 E 36  
 30 5 20 E 36  
 36 5 20 E 36  
 42 5 20 E 36  
 48 5 20 E 36  
 54 5 20 E 36  
 60 5 20 E 36  
 66 5 20 E 36  
 72 5 20 E 36  
 78 5 20 E 36  
 84 5 20 E 36  
 90 5 20 E 36  
 96 5 20 E 36  
 102 5 20 E 36  
 108 5 20 E 36  
 114 5 20 E 36  
 120 5 20 E 36  
 126 5 20 E 36  
 132 5 20 E 36  
 138 5 20 E 36  
 144 5 20 E 36  
 150 5 20 E 36  
 156 5 20 E 36  
 162 5 20 E 36  
 168 5 20 E 36  
 174 5 20 E 36  
 180 5 20 E 36  
 186 5 20 E 36  
 192 5 20 E 36  
 198 5 20 E 36  
 204 5 20 E 36  
 210 5 20 E 36  
 216 5 20 E 36  
 222 5 20 E 36  
 228 5 20 E 36  
 234 5 20 E 36  
 240 5 20 E 36  
 246 5 20 E 36  
 252 5 20 E 36  
 258 5 20 E 36  
 264 5 20 E 36  
 270 5 20 E 36  
 276 5 20 E 36  
 282 5 20 E 36  
 288 5 20 E 36  
 294 5 20 E 36  
 300 5 20 E 36  
 306 5 20 E 36  
 312 5 20 E 36  
 318 5 20 E 36  
 324 5 20 E 36  
 330 5 20 E 36  
 336 5 20 E 36  
 342 5 20 E 36  
 348 5 20 E 36  
 354 5 20 E 36  
 360 5 20 E 36  
 366 5 20 E 36  
 372 5 20 E 36  
 378 5 20 E 36  
 384 5 20 E 36  
 390 5 20 E 36  
 396 5 20 E 36  
 402 5 20 E 36  
 408 5 20 E 36  
 414 5 20 E 36  
 420 5 20 E 36  
 426 5 20 E 36  
 432 5 20 E 36  
 438 5 20 E 36  
 444 5 20 E 36  
 450 5 20 E 36  
 456 5 20 E 36  
 462 5 20 E 36  
 468 5 20 E 36  
 474 5 20 E 36  
 480 5 20 E 36  
 486 5 20 E 36  
 492 5 20 E 36  
 498 5 20 E 36  
 504 5 20 E 36  
 510 5 20 E 36  
 516 5 20 E 36  
 522 5 20 E 36  
 528 5 20 E 36  
 534 5 20 E 36  
 540 5 20 E 36  
 546 5 20 E 36  
 552 5 20 E 36  
 558 5 20 E 36  
 564 5 20 E 36  
 570 5 20 E 36  
 576 5 20 E 36  
 582 5 20 E 36  
 588 5 20 E 36  
 594 5 20 E 36  
 600 5 20 E 36  
 606 5 20 E 36  
 612 5 20 E 36  
 618 5 20 E 36  
 624 5 20 E 36  
 630 5 20 E 36  
 636 5 20 E 36  
 642 5 20 E 36  
 648 5 20 E 36  
 654 5 20 E 36  
 660 5 20 E 36  
 666 5 20 E 36  
 672 5 20 E 36  
 678 5 20 E 36  
 684 5 20 E 36  
 690 5 20 E 36  
 696 5 20 E 36  
 702 5 20 E 36  
 708 5 20 E 36  
 714 5 20 E 36  
 720 5 20 E 36  
 726 5 20 E 36  
 732 5 20 E 36  
 738 5 20 E 36  
 744 5 20 E 36  
 750 5 20 E 36  
 756 5 20 E 36  
 762 5 20 E 36  
 768 5 20 E 36  
 774 5 20 E 36  
 780 5 20 E 36  
 786 5 20 E 36  
 792 5 20 E 36  
 798 5 20 E 36  
 804 5 20 E 36  
 810 5 20 E 36  
 816 5 20 E 36  
 822 5 20 E 36  
 828 5 20 E 36  
 834 5 20 E 36  
 840 5 20 E 36  
 846 5 20 E 36  
 852 5 20 E 36  
 858 5 20 E 36  
 864 5 20 E 36  
 870 5 20 E 36  
 876 5 20 E 36  
 882 5 20 E 36  
 888 5 20 E 36  
 894 5 20 E 36  
 900 5 20 E 36  
 906 5 20 E 36  
 912 5 20 E 36  
 918 5 20 E 36  
 924 5 20 E 36  
 930 5 20 E 36  
 936 5 20 E 36  
 942 5 20 E 36  
 948 5 20 E 36  
 954 5 20 E 36  
 960 5 20 E 36  
 966 5 20 E 36  
 972 5 20 E 36  
 978 5 20 E 36  
 984 5 20 E 36  
 990 5 20 E 36  
 996 5 20 E 36  
 1000 5 20 E 36



Township No. IX North, Range No. V West 2nd Mer.

Surveyed by James Holmes 1871

Description of the Soil on the interior Sectional lines.

Section	Quality &c.	Section	Quality &c.	Section	Quality &c.
1	Good land - Timber Sugar Maple Oak &c.	17	Good land - Timber Oak Maple Sugar &c.	33	Good land - Timber Oak Maple Sugar &c.
2	Good land - Timber Oak Maple Sugar &c.	18	Good land - Timber Oak Maple Sugar &c.	34	Good land - Timber Oak Maple Sugar &c.
3	Good land - Timber Oak Maple Sugar &c.	19	Good land - Timber Oak Maple Sugar &c.	35	Good land - Timber Oak Maple Sugar &c.
4	Good land - Timber Oak Maple Sugar &c.	20	Good land - Timber Oak Maple Sugar &c.	36	Good land - Timber Oak Maple Sugar &c.
5	Good land - Timber Oak Maple Sugar &c.	21	Good land - Timber Oak Maple Sugar &c.	37	Good land - Timber Oak Maple Sugar &c.
6	Good land - Timber Oak Maple Sugar &c.	22	Good land - Timber Oak Maple Sugar &c.	38	Good land - Timber Oak Maple Sugar &c.
7	Good land - Timber Oak Maple Sugar &c.	23	Good land - Timber Oak Maple Sugar &c.	39	Good land - Timber Oak Maple Sugar &c.
8	Good land - Timber Oak Maple Sugar &c.	24	Good land - Timber Oak Maple Sugar &c.	40	Good land - Timber Oak Maple Sugar &c.
9	Good land - Timber Oak Maple Sugar &c.	25	Good land - Timber Oak Maple Sugar &c.	41	Good land - Timber Oak Maple Sugar &c.
10	Good land - Timber Oak Maple Sugar &c.	26	Good land - Timber Oak Maple Sugar &c.	42	Good land - Timber Oak Maple Sugar &c.
11	Good land - Timber Oak Maple Sugar &c.	27	Good land - Timber Oak Maple Sugar &c.	43	Good land - Timber Oak Maple Sugar &c.
12	Good land - Timber Oak Maple Sugar &c.	28	Good land - Timber Oak Maple Sugar &c.	44	Good land - Timber Oak Maple Sugar &c.
13	Good land - Timber Oak Maple Sugar &c.	29	Good land - Timber Oak Maple Sugar &c.	45	Good land - Timber Oak Maple Sugar &c.
14	Good land - Timber Oak Maple Sugar &c.	30	Good land - Timber Oak Maple Sugar &c.	46	Good land - Timber Oak Maple Sugar &c.
15	Good land - Timber Oak Maple Sugar &c.	31	Good land - Timber Oak Maple Sugar &c.	47	Good land - Timber Oak Maple Sugar &c.
16	Good land - Timber Oak Maple Sugar &c.	32	Good land - Timber Oak Maple Sugar &c.	48	Good land - Timber Oak Maple Sugar &c.



Township 9 North, Range 5 West, 2<sup>nd</sup> Mer. Ind.

C. L. South Boundary.

East On Random, run 6 miles. & fell 6 chm.  
North of E. corner. April 21<sup>st</sup> 1844. —

West Corner On S. side of sec. 36.  
39.00 To a creek 12 m. wide on South  
40.00 Set g. Sec. post from which  
a Buck 8 in dia. bears N 63 E 12 m. 7 in,  
4 a Sugar 14 " " " S 47 W 9 " "  
80.00 Set a post cor. Sec. 35 & 36 from which  
a Hickory 12 in dia. bears N 65 W 30 m.,  
4 a Dogwood 3 " " " S 61 E 16 " 7 in,

West On the South side of sec. 35.  
40.00 Set g. Sec. post from which,  
a W. Oak 14 in dia. bears S 13 W 36 m. 7 in  
4 a Do. 18 " " " N 4 E 60 " "  
80.00 Set a post cor. Sec. 34 & 35 from wh.,  
a W. Oak 11 in dia. bears S 51 W 24 m. 8 in  
4 a R. Oak 14 " " " N 86 E 47 " "  
Land poor & timber is Oak & Buck &c.

West On the S. side of sec. 34  
40.00 Set g. Sec. post from which  
a Gum 12 in dia. bears N 47 E 37 m. 7 in,  
4 a W. Oak 15 " " " N 56 E 37 " "  
80.00 Set post cor. Sec. 33 & 34 from which  
a Dogwood 4 in dia. bears S 77 E 10 m.,  
4 an Ash 14 in dia. bears N 20 W 13 m.,  
Midling good Oak land &c.

West On South side of section 33  
40.00 Set g. Sec. post from which  
a Buck 14 in dia bears S 28 W 19 m.,  
4 a B. Oak 24 " " " N 29 E 38 "



T. 9 N. R. 5 W. 2<sup>nd</sup> Mer. Ind.<sup>a</sup>

- 45.50 To a Creek 12 <sup>1/2</sup> mi. wide en. S. W.  
 80.00 Set a post en. sec. 32 & 33 from which  
 a Gum 16 in dia. bears N 44 W 41 mi. dist,  
 & a Do. 20 " " " S 57 E 38 " "

West On the S. side of sec. 32,  
 40.00 Set g. Sec. post from which  
 a Beech 13 in dia. bears N 65 W 4 mi.  
 & a Do. 20 " " " S 42 E 20 "

- 64.25 To a creek 200 <sup>1/2</sup> mi. wide en. S. E. (Eel River)  
 77.00 " Eel River 200 " " " North  
 80.00 Set post cor. sec. 31 & 32 from which  
 a Hickory 30 in dia. bears N 55 W 25 mi.  
 & a Hickory 20 " " " S 44 E 35 "  
 Good land, & the timber is Beech, Sugar,  
 & Walnut &c.

- West On South side of sec. 31.  
 4.50 To Eel river 200 <sup>1/2</sup> mi. wide en. S. E.  
 40.00 Set g. Sec. post from which  
 a W. Oak 18 in dia. bears N 62 W 17 mi.  
 & a Do. 22 " " " N 15 E 50 "  
 52.00 To Eel river 200 <sup>1/2</sup> mi. wide en. S. E.  
 70.50 " Do. Do. 200 " " " S. E.  
 80.00 Intersect W. boundary. 3 chs. South  
 of temp. post & set post cor. Twp.  
 8 & 9 North Range 5 & 6 W. from which  
 an Ash 12 in dia. bears S 36 E 46 mi.  
 & a Hickory 13 " " " S 17 W 55 " dist.  
 Land is wet River bottoms,  
 Surveyed in April 1811. By  
 Alex. Holmes. Dep. Sur.

## East Boundary.

North On the E. side of sec. 36.

T. 9 N. R. 5 W. 2<sup>nd</sup> Mer. Ind.<sup>a</sup>

- 21.00 To a Creek 75 <sup>1/2</sup> mi. wide en. E.  
 40.00 Set g. Sec. post from which  
 a W. Beech 11 in dia. bears North 105 mi. dist,  
 on S. side of creek 75 <sup>1/2</sup> mi. wide  
 80.00 Set post cor. sec. 25 & 36 from which  
 a W. Oak 15 in dia. bears S 21 E 33 mi.  
 & a Hickory 16 " " " S 54 W 15 " dist.

- North On the E. side of sec. 25,  
 40.00 Set g. Sec. post from which  
 a Beech 9 in dia. bears S 57 W 7 mi. dist,  
 & a W. Oak 24 " " " S 27 E 46 " "  
 57.25 To a B. Oak 20 " " " in the line  
 80.00 Set a post cor. sec. 24 & 25 from which  
 a Gum 13 in dia. bears S 64 W 37 mi. dist,  
 & a Beech 14 " " " S 71 E 70 " "  
 Land & timber is same as before.

- North On the E. side of sec. 24  
 20.00 Enter a Creek 10 <sup>1/2</sup> mi. wide en. E.  
 38.00 To a Spring course S.  
 40.00 Set g. Sec. post from which  
 a Beech 13 in dia. bears S 20 W 33 mi.  
 & a Do. 18 " " " N 30 E 16 "  
 80.00 Set a post cor. sec. 13 & 24 from which  
 an Elm 12 in dia. bears S 30 W 21 mi. dist,  
 & a Sugar 9 " " " N 66 E 24 " "  
 Poor Bush land part fully in

- North On East side of sec 13,  
 38.50 To a Creek 12 <sup>1/2</sup> mi. wide en. S. E.  
 40.00 Set g. Sec. post from which  
 a Beech 9 in dia. bears S 60 E 20 mi.  
 & a Do. 9 " " " S 83 W 13 " dist.  
 76.00 To a Creek 12 <sup>1/2</sup> mi. wide course S. E.  
 80.00 Set a post cor. to sec. 12 & 13 from wh.



T. 9 N. R. 5 W. 2<sup>nd</sup> Mer. Ind.

C. L. a Sugar 12 in dia. bears S 44 W 12 1/2 lbs. dist  
 & a Do. 15 " " " N 58 E 37 " "  
 Poor Beech land &c.

## North On the East side of sec. 12

40.00 Set g. Sec, post from which  
 a Beech 17 in dia. bears S 59 W 61 lbs.  
 & an Iron 6 " " " N 24 E 55 " dist  
 53.00 To a Sugar 12 in dia. in the line  
 80.00 Set a post cor. to sec. 1 & 12 from which  
 a Sugar 8 in dia. bears N 67 W 21 lbs. dist  
 & a Sapling 9 " " " N 67 E 6 " "  
 Good Beech land &c. 2<sup>nd</sup> rate

## North On the East side of section 1,

25.00 To a beech 12 lbs. wide in the East  
 40.00 Set a g. Sec, post from which  
 a Beech 1 in dia. bears S 71 E 12 lbs. dist.  
 & a W. Oak 24 " " " N 60 W 26 " "  
 77.50 To temporary post  
 80.00 Set post cor. to S. 9 & 10 N. R. 4 & 5 W.  
 April 25<sup>th</sup> 1811. — Land 2<sup>nd</sup> rate  
 Timber Beech, Poplar &c.  
 Surveyed By. Alex. Holmes Dep. Sur.

## North Boundary, Var.

East On Random on South boundy. of Town  
 10 N. R. 5 W. — 6 miles. dist set temporary post,

## West On S. side of sec 36 T 10 N R 5 W

10.50 To a beech 15 lbs. wide cor. S. E.  
 40.00 Set g. Sec, post from which  
 a Dogwood 4 in dia. bears S 30 E 9 lbs. dist  
 & a Beech 3 " " " N 49 W 23 " "  
 80.00 Set post cor. sec. 35 & 36 from which

T. 9 N. R. 5 W. 2<sup>nd</sup> Mer. Ind.

C. L. a Beech 16 in dia. bears N 45 E 33 lbs. dist  
 & a Sugar 12 " " " S 70 W 24 " "  
 midling hilly Beech land &c.

## West On the South side of sec. 35 T 10 N R 5 W

40.00 Set g. Sec, post from which  
 a Poplar 40 in dia. bears N 81 E 22 lbs.  
 & a Beech 18 " " " S 75 W 35 " "  
 80.00 Set post cor. sec. 34 & 35 from which  
 a Beech 13 in dia. bears S 55 E 50 lbs. dist.  
 & a Sugar 16 " " " N 66 W 46 " "

## West On South side of sec. 34 T 10 N R 5 W

40.00 Set g. Sec, post from which  
 a Beech 13 in dia. bears N 74 W 23 lbs.  
 & a Do. 10 " " " S 44 E 15 " dist  
 47.00 To a beech 10 lbs. wide cor. NW.  
 80.00 Set post cor. sec. 33 & 34 from which  
 a Beech 16 in dia. bears N 38 E 10 lbs. dist.  
 & a Do. 16 " " " N 70 W 22 " "  
 midling Beech land &c.

## West On South side of sec. 33 T 10 N R 5 W

37.50 To a beech 30 lbs. wide cor. SW  
 40.00 Set g. Sec, post in a beech 20 lbs. wide S.  
 a Beech 6 in dia. bears S 20 W 10 lbs. dist  
 & a Poplar 3 in dia. " N 30 E 12 " "  
 80.00 Set a post cor. sec. 32 & 33 from which  
 a Beech 18 in dia. bears S 56 E 36 lbs. dist.  
 & a Do. 12 " " " N 25 W 18 " "  
 Land level & the timber is Beech &c.

## West On South side of sec. 32 T 10 N R 5 W

10.00 To a beech 10 lbs. wide cor. S. E.  
 40.00 Set a g. Sec, post from which  
 a Beech 16 in dia. bears N 68 E 21 lbs. dist.



T. 9 N. R. 5 W. 2<sup>nd</sup> Mer. Ind.

C. L. & a Beech 4 in. dia. bears N 75 W 17<sup>th</sup> M.  
 80.00 Set a post cor. sec. 31 & 32 from which  
 a Beech 15 in. dia. bears N 17 W 25<sup>th</sup> M. dist.  
 & a Do. 13 " " " S 7 W 43 " "  
 Poor Bush land & —

West On the S. side of sec. 31 T 9 N R 5 W  
 40.00 Set gr. Sec. post from which  
 a Sugar 14 in. dia. bears S 20 E 13<sup>th</sup> M. dist.  
 & a Hickory 10 " " " N 45 E 15 " "  
 80.00 Intersect W. bound. 200 M. S. of temp.  
 post, & set post cor. Town. 9 & 11 N. Range  
 S 46 W. from which —  
 a W. Oak 8 in. dia. bears S 42 E 27<sup>th</sup> M. dist.  
 & a Dogwood 6 in. dia. " N 47 W 13 " "  
 Poor Hilly Bush land & —  
 April 1845 Surveyed by Alex. Footner, D. S. —

West Boundary,  
Var.

North On East side of sec. 36 T 9 N R 6 W  
 60.00 To Brook 200 M. wide on E,  
 40.00 Set gr. Sec. post from which a  
 Bl. Jack 3 in. dia. bears S 53 E 15<sup>th</sup> M. dist.  
 & a Asp. Oak 9 " " " N 17 W 2 " "  
 80.00 Set a post cor. sec. 25 & 36, T 9 N R 6 W  
 a Gum 12 in. dia. bears S 82 E 10<sup>th</sup> M. dist.  
 & an Elm 17 " " " S 82 W 20 " "  
 Wet Bottom land & —

North On the E. side of sec. 25 T 9 N R 6 W,  
 14.50 To a Sugar 9 in. dia. in the hie,  
 40.00 Set gr. Sec. post from which  
 a Beech 18 in. dia. bears S 32 W 48<sup>th</sup> M.  
 & a Do. 16 " " " S 52 E 13 " dist.  
 80.00 Set a post cor. sec. 24 & 25 from which  
 a Beech 14 in. dia. bears N 75 E 49<sup>th</sup> M. dist.

T. 9 N. R. 5 W. 2<sup>nd</sup> Mer. Ind.

C. L. & a W. Oak 30 in. dia. bears S 57 W 43<sup>th</sup> M. dist.  
 Good Bush land

North On the E. side of sec. 24 T 9 N R 6 W,  
 38.00 To a Brook 10 M. wide on E,  
 40.00 Set gr. Sec. post from which  
 a Beech 24 in. dia. bears N 41 E 2<sup>th</sup> M. dist.  
 & a Do. 15 " " " S 84 W 28 " "  
 80.00 Set a post cor. sec. 13 & 24 from which  
 a W. Oak 20 in. dia. bears S 21 W 10<sup>th</sup> M. dist.  
 & a Gum 30 " " " N 60 E 45 " "  
 Good Bush land —

North On East bound. sec. 13 T 9 N R 6 W,  
 32.00 To a Brook 12 M. wide on N.E.  
 40.00 Set gr. Sec. post from which  
 a Beech 20 in. dia. bears S 20 E 45<sup>th</sup> M. dist.  
 & a Do. 12 " " " N 32 W 11 " "  
 71.50 To a Brook 12 M. wide on N.E.  
 76.00 To a Hickory 12 in. dia. in the hie,  
 80.00 Set a post cor. sec. 12 & 13 from which  
 a Hickory 15 in. dia. bears S 78 W 8<sup>th</sup> M. dist.  
 & a Beech 12 " " " N 55 E 12 " "  
 Poor Bush Land on this side on

North On East side of sec. 12 T 9 N R 6 W,  
 34.00 To an Oak 14 in. dia. in the hie,  
 40.00 Set gr. Sec. cor. post from which  
 a Beech 11 in. dia. bears S 26 W 12<sup>th</sup> M. dist.  
 & a W. Oak 15 " " " N 76 E 32 " "  
 73.50 To a Bl. Oak 10 " " in the hie,  
 80.00 Set post cor. sec. 1 & 12 from which  
 a Gum 16 in. dia. bears N 45 W 7<sup>th</sup> M. dist.  
 & a Beech 13 " " " S 75 E 17 " "  
 Land & same as before



T. 9 N. R. 5 W. 2<sup>nd</sup>. New, Ind.<sup>a</sup>

North On the E. side of Sec. 1 T. 9 N. R. 6 W.  
 20.50 To a W. Oak 15 in. dia. in the line...  
 40.00 Set g. Sec. post from which  
 a Sycamore 40 in. dia. bears N 38 E 42 M.  
 & a Beech 4 " " " S 5 W 9 M. dia.  
 45.50 To a Brook 25 M. wide en. S. E.  
 80.00 Set a temp. post, from same post,  
 April 21<sup>st</sup> 1811. Surveyed By  
 Alexander Holmes. Dep. Sur.

Subdivisions, (March 16<sup>th</sup> 1814.)

North Between sections 35 & 36  
 40.00 Set g. Sec. post from which  
 a Sugar 13 in. dia. bears S 35 E 11 M. dia.  
 & a Poplar 48 " " " S 85 W 28 " "  
 47.00 To a Brook 13 M. wide en. S. E.  
 57.50 " " Do. 10 " " " S. W.  
 63.00 " " Do. 7 " " " S. W.  
 80.00 Set a post cor. Secs. 25, 26, 35 & 36 -  
 Hilly, rich land timbered Poplar Sugar &c.  
 Temporary post. no bearings -

East On Random between Secs. 25 & 36  
 80.00 Set temp. post at intersection of E. line  
 of sec. Land & timber same as last;

West Correct the line between Secs. 25 & 36  
 40.00 Set g. Sec. post from which  
 a Dogwood 6 in. dia. bears N 28 E 28 M.  
 & a Hickory 12 " " " S 33 W 13 "  
 69.00 To a Brook 8 M. wide en. South  
 76.50 " " Do. 3 " " " "  
 80.00 Set a post cor. Secs. 25, 26, 35 & 36 -  
 a W. Oak 48 in. dia. bears N 58 E 16 M. dia. &  
 & a W. Oak 26 " " " S 3 W 34 " "  
 Land & timber same as before

T. 9 N. R. 5 W. 2<sup>nd</sup>. New, Ind.<sup>a</sup>

North Between sections 25 & 26  
 40.00 Set g. Sec. post from which  
 a W. Oak 15 in. dia. bears S 50 W 12 M. dia.  
 & a Poplar 20 " " " S 50 E 14 " "  
 80.00 Set a temporary post.  
 Hilly Oak land, covered with Iron  
 briars &c -

East On Random between Secs. 24 & 25.  
 80.50 Intersect East boundary of sec. -  
 Widening good & level land,

West Correct the line between Secs. 24 & 25  
 40.00 Set g. Sec. post from which  
 a Hickory 10 in. dia. bears S 75 W 15 M. dia.  
 & a Do. 10 " " " N 60 E 18 " "  
 56.00 To a Brook 12 M. wide en. N. E.  
 80.50 Set a post cor. Secs. 23, 24, 25 & 26.  
 from which a  
 a W. Oak 16 in. dia. bears S 63 E 9 M. dia. &  
 a Dogwood 4 " " " N 40 W 17 " "

North Between sections 23 & 24  
 26.00 To a Brook 10 M. wide en. N. E.  
 30.50 " " Do. 8 " " " N. E.  
 40.00 Set g. Sec. post from which  
 a Beech 18 in. dia. bears N 20 W 10 M. dia.  
 & a Dogwood 4 " " " S 35 E 13 " "  
 57.00 To a Sugar 15 " " in the line,  
 62.50 " " Brook 8 M. wide en. S. E.  
 80.00 Set a temporary post.  
 Hilly Oak land &c -

East On Random between Secs. 13 & 24  
 80.00 Intersect East boundary of sec.



T. 9 N. R. 5 W. 2<sup>nd</sup> Mer. Ind.

- West Correct the line between sec. 13 & 24  
 28.00 To a Brook 5 lks. wide en. NE,  
 40.00 Set g. Sec. post from which  
 a W. Oak 14 in. dia. bears N 20 E 9 lks.  
 & a Dogwood 4 " " S 55 W 11 " dia.  
 45.00 To a Brook 10 lks. wide en. NE,  
 80.00 Set a post cor. sec. 13, 14, 23 & 24 from which  
 a Hickory 18 in. dia. bears S 75 E 13 lks. dia.  
 & a Beech 15 " " " N 40 W 20 " "  
 Land & timber same as before,

- North Between sections 13 & 14  
 Willy Beech land &  
 23.50 To a Brook 8 lks. wide en. S. E.,  
 35.00 " " Do. 10 " " " S. E.,  
 40.00 Set g. Sec. post from which  
 a Dogwood 4 in. dia. bears S 55 W 5 lks. dia.  
 & a W. Oak 11 " " " N 80 E 14 " "  
 50.00 To a Sugar 18 " " in the line,  
 52.00 " " Brook 5 lks. wide en. NE,  
 60.50 " " Do. 6 " " " East,  
 80.00 Set temporary post. Land hilly &  
 Beech timber mid. gth. bears -

- East On Random between sec. 12 & 13.  
 80.00 Intersect E. boundy. sec. 1,  
 Willy Oak & Beech land

- West Correct the line between sec. 12 & 13  
 5.00 To a Brook 25 lks. wide en. South,  
 6.50 " the same " " " NE,  
 9.50 " Do. " " " S. E.  
 10.50 " Do. " " " NE,  
 11.50 " Do. " " " S. E.,  
 40.00 Set g. Sec. post from which  
 a Beech 12 in. dia. bears S 75 E 21 lks.

T. 9 N. R. 5 W. 2<sup>nd</sup> Mer. Ind.

- 66.50 To a Brook 12 in. dia. bears N 20 E 13 lks. dia.  
 66.50 To a Brook 4 lks. wide en. North  
 80.00 Set a post cor. to sec. 11, 12, 13 & 14 from which  
 a B. Oak 16 in. dia. bears N 25 W 25 lks. dia. &  
 a Hickory 11 " " " S 20 E 20 " "  
 Willy Oak & Beech land March 15, 1874

## North Between sections 11 &amp; 12

- 37.00 To a Brook 20 lks. wide en. S. E.,  
 40.00 Set g. Sec. post from which  
 a Beech 18 in. dia. bears S 30 E 8 lks. dia. &  
 & a Sugar 12 " " " N 60 W 18 " "  
 68.00 To a W. Oak 36 " " in the line,  
 74.00 " " Brook 7 lks. wide en. S. W (land)  
 80.00 Set a temporary post. Willy Oak & Beech

- East On Random between sec. 1 & 12  
 Land of middling quality, Beech & Oak timber

- West Correct the line between sec. 1 & 12  
 40.00 Set g. Sec. post from which  
 a Beech 6 in. dia. bears N 20 W 12 lks. dia.  
 & a Do. 12 " " " S 45 W 11 " "  
 57.50 To a Brook 8 lks. wide en. S. W,  
 80.00 Set post cor. sec. 1, 2, 11 & 12 from which  
 a Sugar 14 in. dia. bears S 60 W 15 lks. dia.  
 & a Sugar 12 " " " N 45 E 5 " "

## North Between sections 1 &amp; 2

- 40.00 Set g. Sec. post from which  
 a Beech 4 in. dia. bears N 40 W 5 lks. dia.  
 & a Sugar 14 " " " N 60 E 30 " "  
 57.00 To a Brook 3 lks. wide en. S. E.,  
 58.00 To a Sugar 12 in. dia. in the line,  
 77.50 Intersect E. boundy. 10 lks. E. of post  
 where set post cor. to sec. 1 & 2 from which







T. 9 N. R. 5 W. 2<sup>nd</sup> Mer. Pa.

Co. L. & a Brook 10 in dia. bears S48W20<sup>th</sup>  
Poor scrubby Brook land

## North Between sections 14 &amp; 15

5.00 To a Brook 8<sup>th</sup> wide on S.W.  
10.00 " " No. 4 " " S.E.  
40.00 Set 7<sup>th</sup> sec. post from which  
a W. Oak 48 in dia. bears S61W17<sup>th</sup> dist.  
4 an Elm 8 " " " S48W34 " "  
48.00 To a Poplar 36 " " in the line,  
71.50 " " Brook 20<sup>th</sup> wide on W  
80.00 Set a temporary post  
Midling Land & the timber is Brook  
Sugar, Oak, Poplar &c

East Random line between sec. 11 & 14  
Widly Broken land & the timber is  
Brook Oak Sugar &c

## West Correct the between sec. 11 &amp; 14

38.00 To a Brook 3<sup>th</sup> wide on N.  
40.00 Set 7<sup>th</sup> sec. post from which  
a Brook 16 in dia. bears S18W16<sup>th</sup>  
4 a Do. 18 " " " S50E36 "  
80.00 Set a post Co. Sec. 10, 11, 14 & 15 from which  
a W. Oak 12 in dia. bears S10W11<sup>th</sup> dist.  
4 a W. Walnut 36 " " " S27W25 " "

## North Between sections 10 &amp; 11

37.00 To a Brook 24 in dia. in line  
40.00 Set 7<sup>th</sup> sec. post from which  
a Hickory 14 in dia. bears S50E11<sup>th</sup>  
4 a Sugar 12 " " " West 28 " dist.  
43.50 To a Brook 5<sup>th</sup> wide on N.W.  
58.50 " " Do. 5 " " " West  
65.00 " " Do. 5 " " " W.

T. 9 N. R. 5 W. 2<sup>nd</sup> Mer. Pa.

69.00 To a Brook 5<sup>th</sup> wide on N.  
80.00 Set a temporary post 2<sup>nd</sup> rate land. Sugar &c

## East Random between sec. 27 &amp; 11

Land & timber same as last. Sugar, Brook Poplar &c

## West Correct the line between sec. 27 &amp; 11

19.00 To a Brook 12<sup>th</sup> wide on South  
40.00 Set 7<sup>th</sup> sec. post from which  
a Sugar 6 in dia. bears S45E4<sup>th</sup> dist.  
4 a W. Oak 18 " " " S56W21 " "  
80.00 Set post Co. Sec. 2, 3, 10 & 11 from which  
a Sugar 14 in dia. bears S65E22<sup>th</sup> dist.  
4 a Do. 15 " " " S27E48 " "

## North Between sections 27 &amp; 3

40.00 Set 7<sup>th</sup> sec. post from which  
a Brook 20 in dia. bears S72E14<sup>th</sup>  
4 a Do. 6 " " " S82W30 " dist.  
78.50 Intersect N. boundary 50<sup>th</sup> E of post,  
where set post Co. Sec. 27 & 3 from which  
a Brook 15 in dia. bears S22W29<sup>th</sup> dist.  
4 a Do. 30 " " " S47W24 " "  
Midling good land timber Brook Poplar &c

## North Between sections 33 &amp; 34

40.00 Set 7<sup>th</sup> sec. post from which  
a W. Oak 15 in dia. bears S20W12<sup>th</sup>  
4 a Do. 18 " " " S10W26 " dist.  
Land & timber same as before  
80.00 Set a temporary sec. post,

## East On Random between sec. 27 &amp; 34

Land &c is same as last mile

## West Correct the line between sec. 27 &amp; 34



T. 9 N. R. 5 W. 2<sup>nd</sup> Mer. Ind. 2

- 40.00 Set g. Sec. post from which  
a Beech 17 in. dia. bears S 80 E 18 in. dist.  
a Sugar 16 " " " N 75 W 29 " "
- 55.50 To a creek 13 in. wide course North
- 80.00 Set a post cor. to Sec. 27 & 28, 33 & 34 for which  
a B. Oak 36 in. dia. bears N 10 E 7 in. dist.  
a W. Oak 20 " " " S 80 W 25 " "  
Land timber is of middling quality

- North Between sections 27 & 28,  
5.00 To a creek 25 in. wide cor. W,  
26.50 " " Brook 10 " " " S. E.,  
40.00 Set g. Sec. post from which  
a Sugar 15 in. dia. bears S 35 W 17 in. dist.  
a Dogwood 5 " " " S 27 E 17 " "  
80.00 Set temporary Sec. post,  
Land &c. same as on last mile,

- East On Random between Sec. 22 & 27  
Land same as above 2<sup>nd</sup> rate land

- West Correct the line between Sec. 22 & 27  
26.50 To a creek 18 in. wide cor. South  
40.00 Set g. Sec. post from which  
a Beech 20 in. dia. bears N 30 E 19 in. dist.  
a Do. 14 " " " S 69 E 35 "  
80.00 Set a post cor. to Sec. 21, 22, 27 & 28,  
a Sugar 20 in. dia. bears S 88 W 29 in. dist.  
a Do. 15 " " " N 2 E 39 " "

- North Between sections 21 & 22. March 17<sup>th</sup> 1814  
40.00 Set g. Sec. post from which  
a W. Oak 36 in. dia. bears N 30 E 21 in. dist.  
a B. Oak 20 " " " S 31 W 36 "  
80.00 Set a temporary post. Land middling  
quality. Timber, Beech Oak Sugar &c.

T. 9 N. R. 5 W. 2<sup>nd</sup> Mer. Ind. 2

- East On Random between sections 15 & 22  
Land & timber is same as on last mile

- West Correct the line between sections 15 & 22

- 7.00 To a creek 8 in. wide cor. South  
40.00 Set g. Sec. post from which  
a Sugar 18 in. dia. bears S 48 E 14 in. dist.  
a Do. 10 " " " North 19 " "  
80.00 Set a post cor. to Sec. 15, 16, 21 & 22 from which  
a W. Oak 48 in. dia. bears S 30 W 10 in. dist.  
a Hickory 12 " " " S 34 E 25 " "

- North Between sections 15 & 10

- 40.00 Set g. Sec. post from which  
a Sycamore 24 in. dia. bears N 45 E 2 in. dist.  
a Beech 18 " " " S 48 W 36 "  
40.50 To a Brook 28 in. wide cor. S. W.,  
51.00 " " Do. 8 " " " S. W.,  
81.00 Set a temporary post cor. Sec. ,  
Land &c. is same as on last mile

- East On Random between sections 10 & 15  
Land separate & the timber is Beech Oak,  
& Sugar &c.

- West Correct line between Sec. 10 & 15

- 40.00 Set g. Sec. post from which  
a Beech 38 in. dia. bears S 20 W 10 in. dist.  
a Sugar 6 " " " N 12 W 33 " "  
60.00 To a Brook 5 in. wide cor. S. W.,  
70.00 " " Do. 6 " " " S. E.,  
79.00 Set a post corner Sec. 9, 10, 15 & 16 from wh.  
a Beech 15 in. dia. bears South 5 in. dist.  
a Do. 20 " " " S 85 W 38 " "

- North Between sections 9 & 10,



T. 9 N. R. 5 W. 2<sup>nd</sup> New. Ind.

- 16.50 To a Brook 5 M. wide on S. E.,  
 26.00 To a W. Oak 30 in. dia. in the line,  
 39.00 " " Brook 10 M. wide on S. E.,  
 40.00 Set g. Sec, post from which  
 a Buck 15 in. dia. bears S 75 W 50 M. dist,  
 & a W. Oak 13 " " " S 40 E 43 " "  
 80.00 Set a temporary sec. post  
 Land & timber same as before

East On Random between sec. 37 & 10  
 Land &c. is same as before

- West Correct the line between sec. 37 & 10  
 29.50 To a Brook 10 M. wide on S. E.,  
 40.00 Set a g. Sec, post from which  
 a Sapling 9 in. dia. bears S 25 E 25 M.,  
 & a Hickory 13 " " " S 85 W 11 " dist,  
 43.50 To a Brook 8 M. wide on S. E.,  
 79.00 Set post co. to sec. 34. 9 & 10, from which  
 a W. Oak 36 in. dia. bears S 30 E 16 M. dist &  
 & a W. Oak 30 " " " S 75 W 27 " "

North Between sections 37 & 4

- 40.00 Set g. Sec, post from which  
 a W. Oak 24 in. dia. bears S 80 W 14 M. dist,  
 & a Buck 15 " " " S 80 E 40 " "  
 49.50 To a Brook 8 M. wide on S. W.  
 62.50 " " Do, 8 " " " S. W.,  
 78.50 Put out a boundary, 300 M. E of post  
 where set post co. sec. 37 & 4 from which  
 a W. Oak 10 in. dia. bears N 10 E 17 M. dist &  
 a W. Oak 14 " " " S 35 W 34 " "  
 March 18<sup>th</sup> 1874. - Low flat W. Oak & Buck land,

North Between sections 32 & 33.

- 30.00 To a Brook 25 M. wide on S. W.,

T. 9 N. R. 5 W. 2<sup>nd</sup> New. Ind.

- 40.00 Set g. Sec, post from which  
 a W. Oak 24 in. dia. bears S 20 E 10 M. dist,  
 & a W. Oak 16 " " " S 85 W 14 " "  
 80.00 Set a temporary post. Overflowed bottom  
 & swampy land &c.

East On Random between sec. 28 & 33,  
 Midling Oak land &c.

West Correct the line between sec. 28 & 33.

- 6.00 To a Brook 25 M. wide on S. W.,  
 37.00 " " Do. 16 " " " S. W.,  
 40.00 Set g. Sec, post from which  
 an Elm 14 in. dia. bears S 40 W 5 M.,  
 & an Ash 12 " " " S 71 E 10 " dist,  
 80.00 Set a post co. sec. 28, 29, 32 & 33 from which  
 a Buck 14 in. dia. bears S 55 W 9 M. dist &  
 a Buck 20 " " " N 60 E 37 " "

North Between sections 28 & 29

- 22.50 To a Brook 10 M. wide on S. W.,  
 40.00 Set g. Sec, post from which  
 a Buck 20 in. dia. bears S 10 E 15 M. dist,  
 & a Do. 24 " " " N 11 W 50 " "  
 57.00 To a W. Oak 36 " " in the line,  
 59.00 " " Brook 9 M. wide on S. W.,  
 80.00 Set a temporary post for sec. corner,  
 Land separate & the timber is Oak,  
 Oak, Buck, Sugar Poplar &c.

East On Random between sections 21 & 28,  
 Land separate & the timber is Oak  
 Sugar &c. &c.

- West Correct the line between sec. 21 & 28,  
 23.00 To a Brook 5 M. wide on S. W.,



T. 9 N. R. 5 W. 2<sup>nd</sup> New Ind.

- 40.00 Set g. Sec, post from which  
 a W. Oak 20 in. dia. bears S 54 E 23 M.  
 & a Do. 24 " " West 13 " dit,  
 79.00 Set post cor. Sec. 20, 21, 28 & 29 from which  
 a Beech 14 in. dia. bears S 75 E 12 M. dit,  
 & a W. Oak 20 " " S 70 W 33 " "

## North Between sections 20 &amp; 21

- 6.50 To a W. Oak 24 in. dia. in the line,  
 40.00 Set g. Sec, post from which  
 a Poplar 8 in. dia. bears S 22 E 12 M.  
 & a Sapling 6 " " S 38 W 22.  
 42.50 To a Brook 5 M. wide cor. West,  
 65.50 " " Brook 50 " " S.W.,  
 80.00 Set a temp. post. Land & timber same

East On Random between Sec. 16 & 21  
 Sec. 16 to land. Timber Sugar Beech &c.

- West Correct line between Sec. 16 & 21  
 19.50 To a Brook 3 M. wide cor. North,  
 40.00 Set g. Sec, post <sup>a Beech</sup> 6 in. dia. bears S 55 E 20 M.  
 & a Gum 12 in. dia. bears S 70 W 39 M. dit,  
 68.50 To a Brook 50 M. wide cor. S.W.,  
 79.00 Set post corner to Sec. 16 & 21, 20 & 21,  
 a Beech 12 in. dia. bears S 45 E 4 M. dit,  
 & a Do. 20 " " N 16 W " "  
 Sec. 16 to land & timber is Beech Sugar,

## North Between sections 16 &amp; 19

- 5.00 To a Brook 8 M. wide cor. S.E.,  
 40.00 Set g. Sec, post from which  
 a Sugar 8 in. dia. bears S 31 W 34 M.  
 & a W. Oak 12 " " N 45 E 18 " dit,  
 62.00 To a Red Oak 30 in. dia. in the line,  
 80.00 Set a temp. post. Land & same as last

comp

T. 9 N. R. 5 W. 2<sup>nd</sup> New Ind. 20

ch. lly  
 East Run Random line between Sec. 9 & 16  
 Hilly. Oak land & rather poor

## West Correct the line between Sec. 9 &amp; 16

- 50 To a Brook 8 M. wide cor. S.E.,  
 40.00 Set g. Sec, post from which  
 a Beech 5 in. dia. bears S 5 W 9 M. dit,  
 & a Do. 6 " " East 23.  
 79.00 Set post cor. Sec. 8, 9, 16 & 17 from which  
 a Beech 20 in. dia. bears S 45 E 15 M. dit,  
 & a Dogwood 5 " " N 45 W 8 " "

## North Between sections 8 &amp; 9

- 35.50 To a Brook 5 M. wide cor. S.W.,  
 40.00 Set g. Sec, post from which  
 a Beech 30 in. dia. bears S 70 W 10 M. dit,  
 & a Dogwood 4 " " South 15 " "  
 47.50 To a Brook 5 M. wide cor. West,  
 60.00 " " Do. 4 " " N,  
 80.00 Set temporary post. — Hilly. Beech & Sugar,

East On Random between sections 4 & 9  
 Poor hilly land & the timber is Beech Oak &c.

- West Correct the line between Sec. 4 & 9  
 6.50 To a Brook 5 M. wide cor. S.E.,  
 40.00 Set g. Sec, post from which  
 a Hickory 18 in. dia. bears S 30 E 20 M.  
 & a Beech 12 " " N 65 W 28 " dit,  
 79.50 Set post cor. Sec. 4, 5, 8 & 9 from which  
 a Beech 22 in. dia. bears East 31 M. dit,  
 & a Sugar 12 " " N 82 W 9 " "  
 March 19<sup>th</sup> 1874.

## North Between sections 4 &amp; 5

- 28.00 To a Brook 8 M. wide cor. N.W.,



T. 9 N. R. 5 W. 2<sup>nd</sup>. New Ind.

- 28.00 a sugar 12 in. dia. in the line,  
 40.00 Set g<sup>r</sup> Lee, post from which  
 a Buck 12 in. dia. bears S 5 W 9<sup>th</sup> dist,  
 & a Buck 10 " " " S 5 W 8 " "  
 60.00 To a Brook 25<sup>th</sup> wide en. S. W.,  
 80.00 Intersect N. boundary, 400<sup>th</sup> East of post,  
 where set post cor. Sec. 4 & 5 from which  
 a Buck 24 in. dia. bears N 20 W 23<sup>th</sup> dist,  
 & a Dogwood 4 " " " S 20 W 34 " "  
 Land fully & timber Oak & Buck &c.

## North Between sections 31 &amp; 32

- 40.00 Set g<sup>r</sup> Lee, post from which  
 a Buck 13 in. dia. bears N 40 E 14<sup>th</sup> dist,  
 & a sugar 15 " " " S 35 W 22 " dist,  
 80.00 Set a temporary post. Land flat & wet,

East On Random between sec. 29 & 32,  
Land overflowed Bottoms,

## West Correct the line between sec. 29 &amp; 32

- 40.00 Set g<sup>r</sup> Lee, post from which  
 a Buck 20 in. dia. bears S 75 E 15<sup>th</sup> dist,  
 & a sugar 20 " " " S 55 W 19 " dist,  
 59.00 To a Brook 20<sup>th</sup> wide en. S. W.,  
 60.00 To a Swamp 40<sup>th</sup> " " " S. E.,  
 72.50 " a Brook 100<sup>th</sup> " " " South  
 80.00 Set post cor. to sec. 29, 30, 31 & 32 from which  
 a Buck 13 in. dia. bears N 55 E 20<sup>th</sup> dist,  
 & a Do. 12 " " " S 25 E 21 " "  
 Land separate & the timber is Oak  
 Buck, sugar, &c.

## West Between sections 30 &amp; 31

- 40.00 Set a g<sup>r</sup> Lee, post from which  
 a Hickory 7 in. dia. bears N 80 E 8<sup>th</sup> dist,

T. 9 N. R. 5 W. 2<sup>nd</sup>. New Ind.

- C. L. & a Hickory 15 in. dia. bears S 55 W 20<sup>th</sup> dist,  
 67.50 To a Brook 10<sup>th</sup> wide en. South,  
 80.00 Intersect W. boundary, 100<sup>th</sup> East of post,  
 where set post cor. Sec. 30 & 31 from which  
 an ash 14 in. dia. bears S 59 E 27<sup>th</sup> dist &  
 & a Red bud 4 " " " N 60 W 12 " "  
 Land & timber is same as before,

## North Between sections 29 &amp; 30

- 17.00 To a Brook 100<sup>th</sup> wide en. S. E.,  
 28.00 " " Do. 100 " " " S. W.,  
 32.00 " " Do. 100 " " " S. E.,  
 40.00 Set g<sup>r</sup> Lee, post from which  
 a Maple 6 in. dia. bears S 40 W 10<sup>th</sup> dist,  
 & a Do. 15 " " " N 35 W 15 " dist,  
 80.00 Set temporary post. for sec. cor.,  
 all this mile is swampy bottom land,

East On Random between sec. 20 & 29  
Land wet & timber Buck &c.

## West Correct the line between sec. 20 &amp; 29

- 23.00 To a Brook 4<sup>th</sup> wide en. S. W.,  
 40.00 Set g<sup>r</sup> Lee, post from which  
 a Buck 24 in. dia. bears S 25 E 26<sup>th</sup> dist,  
 & a Do. 18 " " " S 35 E 15 " "  
 50.50 To a Brook 30<sup>th</sup> wide en. South,  
 58.50 " " Brook 10<sup>th</sup> " " " S. E.,  
 80.00 Set a post cor. to sec. 19, 20, 29 & 30,  
 a Hickory 18 in. dia. bears N 11 E 5<sup>th</sup> dist,  
 & a W. Oak 5 " " " S 57 E 28 " "  
 Land wet & the timber is Buck &c.

## West Between sections 19 &amp; 30.

- 18.00 To a Brook 100<sup>th</sup> wide en. S. E.,  
 40.00 Set g<sup>r</sup> Lee, post from which



T. 9 N. R. 5 W. 2<sup>nd</sup> Mer. Ind<sup>a</sup>

C. E. a Maple 8 in. dia. bears N 61 E 6 1/2 m. dist.  
 & a Do. 15 " " " N 2 W 9 " "  
 80.00 Between the W. bound<sup>y</sup>, at old post,  
 no bearings - Wet swampy land timber is  
 Elm, Maple &c. -

## North Between sections 19 &amp; 20.

40.00 Set g. Sec, post from which  
 a Buck 14 in. dia. bears S 80 W 10 m. dist.  
 & a Sugar 14 " " " N 35 E 35 " "  
 80.00 Set temporary post,  
 Land & timber same as last.

East On Random between sec. 17 & 20,  
 40.00 Set Temp<sup>y</sup>, 2<sup>nd</sup> Sec, post  
 Land midling quality Oak Buck & Sugar &c.

West Correct between sections 17 & 20  
 40.00 Set g. Sec, post from which  
 a Buck 8 in. dia. bears S 35 E 11 m.,  
 & a Sugar 8 " " " " N 25 E 19 "  
 50.50 To a Brook 6 m. wide en. South  
 80.00 Set post cor. sec. 17, 18, 19 & 20.  
 a Sugar 12 in. dia. bears S 40 W 18 m.,  
 & a W. Oak 24 " " " North 9 " dist.  
 March 20<sup>th</sup> 1844.

West Between sections 18 & 19  
 though swampy land  
 30.00 Swamp impassable. could advance no further.

North Between sections 17 & 18,  
 40.00 Set g. Sec, post from which  
 a Sugar 13 in. dia. bears S 10 E 12 m.,  
 & a Buck 10 " " " N 20 E 11 "  
 53.00 To a Brook 10 m. wide en. W,

T. 9 N. R. 5 W. 2<sup>nd</sup> Mer. Ind<sup>a</sup>

59.00 To a Buck 20 in. dia. in the line,  
 63.50 " " Brook 10 m. wide en. S. W.,  
 68.00 " " Do. 10 " " " S. W.,  
 80.00 Set a temp<sup>y</sup>, post,  
 Midling good land & the timber is  
 Sugar, Buck &c.

East On Random between sec. 8 & 17  
 Land hilly rich & the timber is Sugar  
 and Buck &c.

West Correct the line between sec. 8 & 17  
 40.00 Set g. Sec, post from which  
 a Buck 17 in. dia. bears N 10 E 35 m.,  
 & a Dogwood 4 " " " S 20 E 4 " dist.  
 80.00 Set post cor. sec. 7, 8, 17 & 18, from which  
 a Dogwood 4 in. dia. bears S 75 E 11 m. dist.  
 & a Do. 3 " " " " N 70 W 14 " "

West Between sections 7 & 18,  
 40.00 Set g. Sec, post from which  
 a Buck 20 in. dia. bears S 75 E 8 m. dist.,  
 & a Do. 14 " " " " N 60 W 16 " "  
 51.00 To a Brook 75 m. wide en. S. E.,  
 61.50 " " Brook 30 " " " S. E.,  
 80.00 To W. bound<sup>y</sup>, 50 m. S. of post,  
 where set post cor. sec. 7 & 18,  
 a Buck 18 in. dia. bears S 10 E 25 m. dist.,  
 & a Poplar 7 " " " S 75 E 11 " "  
 Land hilly rich & the timber is Sugar  
 Buck, Poplar &c.

North Between sections 7 & 8,  
 19.50 To a Brook 5 m. wide en. W,  
 40.00 Set g. Sec, post from which  
 a Sugar 5 in. dia. bears West 12 m. dist.



T. 9 N. R. 5 W. 2<sup>nd</sup> Mer. Ind.

- C. L. & a Buck 4 in dia. bears S 81 E 5<sup>th</sup> dist,  
 40.25 To a Brook 4<sup>th</sup> wide en. W,  
 75.00 " " Creek 45 " " W,  
 80.00 Set a temporary post Wily land &  
 broken with guts, &c,

East On Random between Sec. 5 & 8,  
 Land same as last mile, &c

- West Correct the line between Sec. 5 & 8  
 35.00 To a Brook 9<sup>th</sup> wide en. E W  
 40.00 Set g. L. post from which  
 Sycamore 36 in dia. bears N 45 E 26<sup>th</sup> dist,  
 & a Buck 30 " " " N 40 E 29 " "  
 64.00 To a Creek 45<sup>th</sup> wide en. South  
 75.00 " " Do. " " " " NW  
 79.00 " " Do. " " " " S. W  
 80.00 Set post cor. Sec. 5, 6, 7 & 8 from which  
 a Buck 15 in dia. bears N 45 W 11<sup>th</sup> dist,  
 & a Do. 10 " " " S 35 E 6 " "  
 Land & timber is same as last mile

## West Between Sections 6 &amp; 7

- 16.00 To a Brook 8<sup>th</sup> wide en. South  
 40.00 Set g. L. post from which  
 a Buck 15 in dia. bears South 39<sup>th</sup>,  
 & a Gum 36 " " " N 2 E 15 " dist,  
 52.50 To a Brook 8<sup>th</sup> wide en. South  
 63.50 " " Creek 50 " " " South  
 80.00 Intersect N. boundary, 150<sup>th</sup> dist. of post,  
 where set post cor. Sec. 6 & 7 from which  
 a W. Oak 36 in dia. bears N 25 W 37<sup>th</sup>,  
 & a Do. 36 " " " N 65 E 27 "  
 Holly rich land Timber, Sugar Poplar Buck &c

## North Between Sections 5 &amp; 6.

T. 9 N. R. 5 W. 2<sup>nd</sup> Mer. Ind.

- C. L. Set g. L. post from which  
 40.00 a Buck 30 in dia. bears N 45 E 23<sup>th</sup> dist,  
 & a Buck 5 " " " N 75 W 11 " "  
 57.00 To a W. Oak 20 " " in the line,  
 80.00 Intersect N. boundary, 150<sup>th</sup> dist. of post,  
 where set a post cor. Sec. 5 & 6,  
 a Buck 15 in dia. bears East 10<sup>th</sup> dist,  
 & a Do. 15 " " " S 5 W 20 "  
 Poor land. & Timber Buck Oak &c,

Surveyed in the spring of the year 1814  
 By - John Hatcher & } Chain-  
 Jacob Barnett. } bearers -

James Mahony D. S. for -  
 Alex. Mahony Sep. Sur.

The above shows the awkwardness of the clerk  
 who Recorded it. (Arthur St. V. Vance)

It should read Thus:

Surveyed in the Spring of the year 1814  
 By James Holmes D. S.  
 For Alexander Holmes, D. S.

John Hatcher & }  
 Jacob Barnett } Chain-bearers